Prices Biga Eco Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
100-060-047	**Feed mixer Biga 6-200 Eco Future**	**19.645**
100-075-047	**Feed mixer Biga 7,5-200 Eco Future**	**20.000**
100-100-047	**Feed mixer Biga 10-200 Eco Future**	**20.365**
101-100-047	**Feed mixer Biga 10-230 Eco Future**	**20.720**
101-120-047	**Feed mixer Biga 12-230 Eco Future**	**21.130**
101-130-047	**Feed mixer Biga 13-230 Eco Future**	**21.445**
101-140-047	**Feed mixer Biga 14-230 Eco Future**	**22.705**
102-150-047	**Feed mixer Biga 15-245s Eco Future**	**27.015**
100-900-013-001	Lower price 6E/7,5E/10ME: 1 instead of 2 unload. doors left + 2 man. counter knives, no valve block	-1.150
100-900-013-002	Lower price 10E/12ME-15ME: 1 instead of 2 unload. doors left + 2 man. counter knives, no valve block	-1.150
100-900-013-003	Lower price: unloading doors operated by tractor valve + 2 mechanically adjustable counter knives	-570
100-900-013-004	Lower price 6E/7,5E/10ME: 1 instead of 2 unload. doors right + 2 man. counter knives, no valve block	-1.150
100-900-013-005	Lower price 10E/12ME-15ME: 1 instead of 2 unload.doors right + 2 man. counter knives, no valve block	-1.150
100-900-013-007	Lower price: 1 unloading door left instead of 2 unloading doors	-475
100-900-013-008	Lower price: 1 unloading door right instead of 2 unloading doors	-475
100-900-359-001	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	2.810
100-900-359-002	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.030
100-900-316	Radiographically display for i-FeedGood	750
100-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
100-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
100-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
100-900-240-001	Electrohydraulic operation of 2 unloading doors, necessary for functions with #	1.265
100-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
100-900-339-001	Rubber tub increase (1A)	935
100-900-121-001	Alligator Double Life auger instead of Double Action auger	480
100-900-352	Unique auger(s) for specific rations such as calves and goats	On request
100-900-327	Magnet on auger, per auger	780
100-900-149-001	Wide angle PTO shaft Walterscheid 1 3/8”-6 instead of standard PTO-shaft	420
100-900-149-002	Wide angle PTO shaft Walterscheid 1 3/8”-21 instead of standard PTO-shaft	420
100-900-149-003	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8”-6 instead of standard PTO-shaft	420
100-900-149-004	Wide angle PTO shaft heavy-duty Walterscheid 1 3/4”-20 instead of standard PTO-shaft	420
100-900-149-005	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8”-21 instead of standard PTO-shaft	420
100-900-149-006	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8”-8 instead of standard PTO-shaft	420
100-900-149-007	Wide angle PTO shaft Walterscheid 1 3/8”-8 instead of standard PTO-shaft	On request
100-900-042	Hand braked axle	815
100-900-044-001	Hydraulically braked axle with hand brake	1.195
100-900-006-001	2 Speed reduction gearbox (540 RPM)	1.875
100-900-122	Operation 2 speed reduction gear box with Bowden cable from tractor cabine	420
100-900-260	Operation 2 speed reduction gear box with electro-hydraulic operation (# incl. el. hydr. operation)	660
100-900-005	High hitch with DIN towing bracket	215
100-900-091	Low hitch with pick-up hitch towing bracket and skid food	215
100-900-057	Mounting of battery for weighing in disconnected position	475
100-900-054	Single acting hydraulic support with manual pump	410
100-900-017	Hydraulic support for loading in uncoupled position (# incl. electro-hydraulic operation)	815
100-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera (only in combination with weighing system i-FeedGood)	950
100-900-321	Bird View (camera system with view on all sides)	1.700
100-900-010-001	In height adjustable belt conveyor L=1150 mm sideways at 1 side (# incl.electro-hydraulic operation)	3.870
100-900-089-001	Speed regulator for belt conveyer	340
100-900-053	2 Existing unloading doors placed slantingly at the back of the tub	815
100-900-019-001	Extra unloading door at desired position (# incl. electro-hydr. operation function) (6E/7,5E/10ME)	2.045

Article Number	Description	Prices in €
100-900-019-002	Extra unloading door at desired position (# incl. electro-hydraulic operation function)(10E/12-15ME)	2.045
100-900-019-003	Extra unloading door at desired position, excl. operation	1.590
100-900-283	Movable output chutes (per unloading door) connected with unloading door	385
100-900-238	Hydraulically instead of mech. adjustable counter knives (# incl. el.hydr. operation), per knife	385
100-900-020-001	Lowering tub height (Maxi) Eco	410
100-900-234	Lighting LED	325
100-900-358	2 Red-white signalling boards (for machines wider than 2.55 m)	275
100-900-070	Extended chassis (for build up of a crane or stationary motor)	1.370
100-900-090	Mineral box	275
100-900-004-001	Potato cutting knife mounted on 1 auger	215
100-900-128-001	Different RAL colour instead of Peecon red	350
100-900-012	Step frame model with lowered chassis and axle mounted at the back	2.380
	Optional tyres	
100-900-129-001	Peecon 7.00x12 (14P/6B/0) per 2 (= standard)	On request
100-900-130-002	Peecon 7.00x12 double mounting (14P/6B) per 2 instead of Peecon 7.00x12 (std Biga 10-14m³ Maxi Eco)	910
100-900-136-001	Goodyear 205/65R17.5 double mounting (6B/LHT) per 2 instead of Peecon 7.00x12 (std 15m³ Maxi Eco)	1.195
100-900-134-001	Peecon 400/60x15.5 (14P/6B/0) per 2 instead of Peecon 7.00x12	525
100-900-135-002	Goodyear 215/75R17.5 double mounting (6B/LHT) per 2 instead of Peecon 7.00x12	1.210
100-900-242	Wheel caps stainless steel 17,5 - 19,5 - 22,5" (per 2 pieces)	150

Prices Biga Lowliner Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
147-140-050	**Feed mixer Biga 14-197/230 Lowliner Future**	**40.470**
147-160-050	**Feed mixer Biga 16-197/230 Lowliner Future**	**40.810**
147-180-050	**Feed mixer Biga 18-197/230 Lowliner Future**	**42.485**
147-200-050	**Feed mixer Biga 20-197/230 Lowliner Future**	**43.955**
148-240-050	**Feed mixer Biga 24-221/260 Lowliner Future**	**48.030**
148-280-050	**Feed mixer Biga 28-221/275 Lowliner Future**	**50.290**
147-900-353	Lower price: 2 unloading doors instead of standard wide conveyor belt	-870
147-900-359-002	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.030
147-900-316	Radiographically display for i-FeedGood	750
147-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
147-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
147-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
147-900-240-002	Electrohydraulic operation of the belt conveyor, necessary for functions with #	1.265
147-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
147-900-339-002	Rubber tub increase (2A)	1.230
147-900-327	Magnet on auger, per auger	780
147-900-149-003	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8”-6 instead of standard PTO-shaft	420
147-900-149-004	Wide angle PTO shaft heavy-duty Walterscheid 1 3/4”-20 instead of standard PTO-shaft	420
147-900-149-005	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8”-21 instead of standard PTO-shaft	420
147-900-149-006	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8”-8 instead of standard PTO-shaft	420
147-900-340	Air braked axle instead of a hydraulic braked axle	1.230
147-900-092	Ball towing eye Scharm▤ller/Sauerman 80 mm	910
147-900-057	Mounting of battery for weighing in disconnected position	475
147-900-006-001	2 Speed reduction gear box (540 RPM) (957-003-001)	1.875
147-900-006-012	2 Speed reduction gear box Brevini (1000 RPM) (957-001-058)	2.360
147-900-006-013	2 Speed reduction gear box Comer (1000 RPM) (957-003-024)	2.360
147-900-006-014	2 Speed reduction gear box Bima (1000 RPM) (957-007-002)	2.360
147-900-122	Operation 2 speed reduction gear box with Bowden cable from tractor cabine	420
147-900-260	Operation 2 speed reduction gear box with electro-hydraulic operation	660
147-900-252	Rear-view camera	545
147-900-321	Bird View (camera system with view on all sides)	1.700
147-900-342	Bended conveyor belt to increase the discharge height instead of standard conveyor belt	On request
147-900-011-001	2nd lateral belt conveyor in height adjustable L=1150 mm at the right side (#incl.el-hydr.operation)	3.290
147-900-011-002	2nd lateral belt conveyor in height adjustable L=1150 mm at the left side (# incl.el-hydr.operation)	3.290
147-900-180	Belt conveyor with chain instead of rubber	1.015
147-900-182	Foldable belt conveyor with chain instead of rubber	805
147-900-238	Hydraulically instead of mechanically adjustable counter knives incl. el.hydr.operation, per knife	385
147-900-089-001	Speed regulator for belt conveyer	340
147-900-234	Lighting LED	325
147-900-358	2 Red-white signalling boards (for machines wider than 2.55 m)	275
147-900-090	Mineral box	275
147-900-004-002	Potato cutting knife mounted on 2 augers	430
147-900-233	Wear out parts in stainless steel, height 1000 mm and thickness 4 mm	2.825

Prices Biga Mammoet Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
110-220-047	**Feed mixer Biga 22-200 Mammoet Future**	**56.255**
114-270-047	**Feed mixer Biga 27-215 Mammoet Future**	**57.100**
114-300-047	**Feed mixer Biga 30-215 Mammoet Future**	**63.010**
114-330-056	**Feed mixer Biga 33-215/230 Mammoet Wide Body Future**	**64.690**
111-360-047	**Feed mixer Biga 36-230s Mammoet Future**	**81.555**
111-380-050	**Feed mixer Biga 38-230/260s Mammoet Wide Body Future**	**84.535**
111-400-047	**Feed mixer Biga 40-230s Mammoet Future**	**On request**
111-420-050	**Feed mixer Biga 42-230/260s Mammoet Wide Body Future**	**On request**
112-450-047	**Feed mixer Biga 45-245s Mammoet Future**	**On request**
112-480-050	**Feed mixer Biga 48-245/275s Mammoet Wide Body Future**	**On request**
112-500-047	**Feed mixer Biga 50-245s Mammoet Future**	**On request**
110-900-359-003	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.395
110-900-316	Radiographically display for i-FeedGood	750
110-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
110-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
110-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
110-900-240-003	Electrohydraulic operation of 4 unloading doors, necessary for functions with #	1.650
110-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
110-900-339-003	Rubber tub increase (3A)	1.520
110-900-121-003	3 Alligator Double Life augers instead of Double Action augers	1.445
110-900-352	Unique auger(s) for specific rations such as calves and goats	On request
110-900-327	Magnet on auger, per auger	780
110-900-043	Hand braked axle	815
110-900-044-003	Hydraulically braked axle with hand brake	1.765
110-900-093	Air braked axle	2.500
110-900-045	Hydraulically forced steered rear axle	8.620
110-900-286	Third axle hydraulically operated liftable, tracking steered, hydraulically blocked	6.985
110-900-046	Sprung-mounted tridem with 3 hydr. braked axles and hydr. forced steering at front and rear axle	20.140
110-900-146	TÜV 40 km model Germany, air-braked axles and TÜV towing bracket, incl. examination	5.690
110-900-027	Oil cooler and filtration system for the planetary drive line	2.450
110-900-028	Hour counter	665
110-900-183-001	Powershift 3 gears	On request
110-900-122	Operation 2 speed reduction gear box with Bowden cable from tractor cabine	420
110-900-260	Operation 2 speed reduction gear box with electro-hydraulic operation (# incl. el. hydr. operation)	660
110-900-054	Single acting hydraulic support with manual pump	410
110-900-017	Hydraulic support for loading in uncoupled position (# incl. electro-hydraulic operation)	815
110-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
110-900-321	Bird View (camera system with view on all sides)	1.700
110-900-147-002	Wearout parts in Hardox/Quard (3A)	3.760
110-900-019-002	Extra unloading door at desired position (# +el.hydr.op.) (only with el.hydr.operation of unl.doors)	2.045
110-900-283	Movable output chutes (per unloading door) connected with unloading door	385
110-900-178	Output chute with magnets (per unloading door)	540
110-900-238	Hydraulically instead of mech. adjustable counter knives (# incl. el.hydr. operation), per knife	385
110-900-030	Towing bracket and coupling for braking to the back	1.235
110-900-092	Ball towing eye Scharmüller/Sauerman 80 mm	910
110-900-057	Mounting of battery for weighing in disconnected position	475
110-900-031	Automatic central lubrication system	3.290
110-900-234	Lighting LED	325
110-900-239	Lighting LED and 2 working lights at the back	415
110-900-358	2 Red-white signalling boards (for machines wider than 2.55 m)	275
110-900-090	Mineral box	275

Article Number	Description	Prices in €
110-900-004-003	Potato cutting knife mounted on 3 augers	650
110-900-145	American version	On request
110-900-128-001	Different RAL colour instead of Peecon red	350
	Optional tyres	
110-900-136-003	Goodyear 205/65R17.5 double mounting (6B/LHT) (standard with Biga 22,5-33m³ Mammoet (WB))	On request
110-900-138-003	Goodyear 245/70R19.5 double mounting (291T/10B) GY 205/65R17.5 DM (std Biga 36-38m³ Mammoet (WB))	1.790
110-900-141-005	Goodyear 275/70R22.5 double mounting (159T/10G) per 4 instead of GY 245/70R19.5 DM (std 40-52m³ M)	1.175
110-900-139-005	Goodyear 435/50R19.5 (-P/10B) per 4 instead of Goodyear 205/65R17.5 double mounting	1.015
110-900-242	Wheel caps stainless steel 17,5 - 19,5 - 22,5" (per 2 pieces)	150

Prices Biga Mega Mammoet Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
141-520-047	**Feed mixer Biga 52-230s Mega Mammoet Future**	**On request**
142-600-047	**Feed mixer Biga 60-230s Mega Mammoet Future**	**On request**
142-640-050	**Feed mixer Biga 64-230/260s Mega Mammoet Wide Body Future**	**On request**
141-900-359-004	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	2.810
141-900-316	Radiographically display for i-FeedGood	750
141-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
141-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
141-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
141-900-240-003	Electrohydraulic operation of 4 unloading doors, necessary for functions with #	1.650
141-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
141-900-339-004	Rubber tub increase (4A)	1.810
141-900-121-004	4 Alligator Double Life augers instead of Double Action augers	1.925
141-900-352	Unique auger(s) for specific rations such as calves and goats	On request
141-900-327	Magnet on auger, per auger	780
141-900-043	Hand braked axle	815
141-900-325	Air-braked-axles (standard with TÜV version)	1.820
141-900-146	TÜV 40 km model Germany, air-braked axles and TÜV towing bracket, incl. examination	5.690
141-900-027	Oil cooler and filtration system for the planetary drive line	2.450
141-900-028	Hour counter	665
141-900-017	Hydraulic support for loading in uncoupled position (incl. electro-hydraulic operation)	815
141-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
141-900-321	Bird View (camera system with view on all sides)	1.700
141-900-147-003	Wearout parts in Hardox/Quard (4A)	5.010
141-900-019-002	Extra unloading door at desired position (# +el.hydr.op.) (only with el.hydr.operation of unl.doors)	2.045
141-900-283	Movable output chutes (per unloading door) incl. electro-hydraulic operation	385
141-900-178	Output chute with magnets (per unloading door)	540
141-900-238	Hydraulically instead of mechanically adjustable counter knives incl. el.hydr.operation, per knife	385
141-900-030	Towing bracket and coupling for braking to the back	1.235
141-900-092	Ball towing eye Scharm≣ller/Sauerman 80 mm	910
141-900-057	Mounting of battery for weighing in disconnected position	475
141-900-031	Automatic central lubrication system	3.290
141-900-234	Lighting LED	325
141-900-239	Lighting LED and 2 working lights at the back	415
141-900-358	2 Red-white signalling boards (for machines wider than 2.55 m)	275
141-900-090	Mineral box	275
141-900-004-004	Potato cutting knife mounted on 4 augers	865
141-900-145	American version	On request
141-900-128-001	Different RAL colour instead of Peecon red	350
	Optional tyres	
141-900-141-001	Goodyear 275/70R22.5 double mounting (= standard)	On request
141-900-184-002	Goodyear 435/50R22.5 (-P/10B/0) per 6 instead of Goodyear 275/70R22.5 double mounting	590
141-900-242	Wheel caps stainless steel 17,5 - 19,5 - 22,5" (per 2 pieces)	150

Prices Biga Pacman Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
125-120-052	**Feed mixer Biga 12-200 Pacman RF Future**	**78.805**
125-120-051	**Feed mixer Biga 12-200 Pacman Future**	**On request**
125-900-013-007	Lower price: 1 unloading door left instead of 2 unloading doors	-475
125-900-013-008	Lower price: 1 unloading door right instead of 2 unloading doors	-475
125-900-293	Complete closed cabin (with screens and doors)	4.845
125-900-294	Cabin heating	1.810
125-900-295	Cabin heating with airconditioning	4.795
125-900-316	Radiographically display for i-FeedGood	750
125-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
125-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
125-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
125-900-323	Mixing speed electronically coupled to the weighing system by means of the EASYtronic controller	On request
125-900-339-001	Rubber tub increase (1A)	935
125-900-121-001	Alligator Double Life auger instead of Double Action auger	480
125-900-352	Unique auger(s) for specific rations such as calves and goats	On request
125-900-327	Magnet on auger, per auger	780
125-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
125-900-321	Bird View (camera system with view on all sides)	1.700
125-900-053	2 Existing unloading doors placed slantingly at the back of the tub instead of at the front	815
125-900-019-005	Extra unloading door at the back in the middle of tub (# incl. electro-hydraulic operation)	2.045
125-900-238	Hydraulically instead of mech. adjustable counter knives (# incl. el.hydr. operation), per knife	385
125-900-296	Lighting LED instead of standard working lights	95
125-900-297	Rear bumper with lighting LED	495
125-900-358	2 Red-white signalling boards (for machines wider than 2.55 m)	275
125-900-252	Rear-view camera	545
125-900-090	Mineral box	275
125-900-004-001	Potato cutting knife mounted on 1 auger	215
125-900-324	Cargo container for loading of added products	On request
125-900-128-001	Different RAL colour instead of Peecon red	350
125-900-298-001	Pneumatic tyres front 355/65-15	On request
125-900-299-001	Pneumatic tyres rear 8.25-15	On request
125-900-300-001	SE tyres (solid) instead of pneumatic tyres front and rea	995
125-900-301-001	Pneumatic tyres rear 355/65-15 ipv 8.25-15	495

Prices Biga Rapide Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
178-130-048	**Feed mixer Biga 13-245 Rapide LS Future**	**169.810**
178-130-049	**Feed mixer Biga 13-245 Rapide AS Future**	**180.565**
182-200-048	**Feed mixer Biga 20-230 Twin Rapide LS Future**	**181.430**
182-200-049	**Feed mixer Biga 20-230 Twin Rapide AS Future**	**195.030**
182-220-055	**Feed mixer Biga 22-230/260 Twin Rapide AS Wide Body Future**	**197.590**
182-240-049	**Feed mixer Biga 24-230 Twin Rapide AS Future**	**202.865**
182-250-055	**Feed mixer Biga 25-230/260 Twin Rapide AS Wide Body Future**	**203.790**
178-900-328	Loading conveyor with adjustable speed	640
178-900-329	Complete drum in stainless steel (including lateral reinforcement rings and knife plates)	1.050
178-900-330	Automatic central lubrication system (for LS models)	755
178-900-331	25 km/h version with differential locking device (for LS models)	3.425
178-900-332	Airconditioning	4.460
178-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
178-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
178-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
178-900-343	Pneumatic driver seat	700
178-900-344	Reversible cooling fan	585
178-900-345	Interval wiper	550
178-900-346	300 litre instead of 180 litre diesel tank	1.870
178-900-347	Reversing sensors	645
178-900-335	Radio with CD and MP3 player and 2x 100 Watt speaker	740
178-900-125-011	Action package 2: automatic central lubrication systeem, rear-view camera and mascot cow (only in combination with weighing system i-FeedGood)	1.200
178-900-333	Extra camera (without display)	275
178-900-321	Bird View (camera system with view on all sides)	1.700
178-900-019-005	Extra unloading door at the back in the middle of tub (# incl. electro-hydraulic operation)	2.045
178-900-283	Movable output chutes (per unloading door) incl. electro-hydraulic operation	385
178-900-178	Output chute with magnets (per unloading door)	540
178-900-121-001	Alligator Double Life auger instead of Double Action auger	480
178-900-207-001	Auger X60 steel 18,7 mm (+0,5 / -0,5 mm) instead of 15 mm (1A)	1.250
178-900-352	Unique auger(s) for specific rations such as calves and goats	On request
178-900-327	Magnet on auger, per auger	780
178-900-052	Extra sweeper on auger	On request
178-900-147-004	Wear out parts in Hardox/Quard (1A)	1.845
178-900-147-001	Wear out parts in Hardox/Quard (2A)	2.680
178-900-310-002	Inspection ladder	760
178-900-090	Mineral box	275
178-900-339-001	Rubber tub increase (1A)	935
178-900-339-002	Rubber tub increase (2A)	1.230
178-900-018-001	Belt conveyor at the back of the machine (# incl.electro-hydr. operation)	2.430
178-900-018-004	Belt conveyor at the back of the machine while maintaining 2 side doors	4.435
178-900-180	Belt conveyor with chain instead of rubber	1.015
178-900-089-001	Speed regulator for belt conveyer	340
178-900-271-002	Extra working light LED	130
178-900-358	2 Red-white signalling boards (for machines wider than 2.55 m)	275
178-900-354	Power Booster	7.720

Prices Biga (Twin) Scoop Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
115-075-047	**Feed mixer Biga 7,5-200 Scoop Future**	**25.250**
115-100-047	**Feed mixer Biga 10-200 Scoop Future**	**28.160**
116-120-047	**Feed mixer Biga 12-230 Scoop Future**	**32.540**
120-120-047	**Feed mixer Biga 12-200 Twin Scoop Future**	**37.535**
120-150-047	**Feed mixer Biga 15-200 Twin Scoop Future**	**40.090**
120-170-047	**Feed mixer Biga 17-200 Twin Scoop Future**	**42.645**
120-200-047	**Feed mixer Biga 20-200 Twin Scoop Future**	**45.920**
121-200-047	**Feed mixer Biga 20-230s Twin Scoop Future**	**61.540**
121-240-047	**Feed mixer Biga 24-230s Twin Scoop Future**	**61.945**
115-900-359-001	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	2.810
115-900-359-002	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.030
115-900-359-003	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.395
115-900-316	Radiographically display for i-FeedGood	750
115-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
115-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
115-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
115-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
115-900-339-001	Rubber tub increase (1A)	935
115-900-339-002	Rubber tub increase (2A)	1.230
115-900-033-001	Cover	300
115-900-033-002	Cover for Maxi	300
115-900-034-001	Cover for Twin	625
115-900-034-002	Cover for Maxi Twin	625
115-900-035	Knife extension (required horsepower +10%)	115
115-900-121-001	Alligator Double Life auger instead of Double Action auger	480
115-900-121-002	2 Alligator Double Life augers instead of Double Action augers	965
115-900-352	Unique auger(s) for specific rations such as calves and goats	On request
115-900-327	Magnet on auger, per auger	780
115-900-149-001	Wide angle PTO shaft Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
115-900-149-002	Wide angle PTO shaft Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
115-900-149-003	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
115-900-149-004	Wide angle PTO shaft heavy-duty Walterscheid 1 3/4"-20 instead of standard PTO-shaft	420
115-900-149-005	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
115-900-047	Hand braked axle	815
115-900-005	High hitch with DIN towing bracket	215
115-900-091	Low hitch with pick-up hitch towing bracket and skid food	215
115-900-092	Ball towing eye Scharmüller/Sauerman 80 mm	910
115-900-057	Mounting of battery for weighing in disconnected position	475
115-900-006-001	2 Speed reduction gearbox (540 RPM) (957-003-001)	1.875
115-900-006-012	2 Speed reduction gear box Brevini (1000 RPM) (957-001-058)	2.360
115-900-006-013	2 Speed reduction gear box Comer (1000 RPM) (957-003-024)	2.360
115-900-006-014	2 Speed reduction gear box Bima (1000 RPM) (957-007-002)	2.360
115-900-122	Operation 2 speed reduction gear box with Bowden cable from tractor cabine	420
115-900-260	Operation 2 speed reduction gear box with electro-hydraulic operation (# incl. el. hydr. operation)	660
115-900-054	Single acting hydraulic support with manual pump	410
115-900-017	Hydraulic support for loading in uncoupled position (# incl. electro-hydraulic operation)	815
115-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
115-900-321	Bird View (camera system with view on all sides)	1.700
115-900-037	Adaption loading scoop for Biga 7,5m³ for maximum height 2550 mm	410

Article Number	Description	Prices in €
115-900-038	Adaption loading scoop and tub for Biga 7,5m³ for maximum height 2350 mm	1.235
115-900-089-001	Speed regulator for belt conveyer	340
115-900-236	Unloading doors at the front instead of belt conveyor at the back (only applicable for Twin-models)	0
115-900-283	Movable output chutes (per unloading door) incl. electro-hydraulic operation	385
115-900-238	Hydraulically instead of mech. adjustable counter knives (# incl. el.hydr. operation), per knife	385
115-900-090	Mineral box	275
115-900-004-001	Potato cutting knife mounted on 1 auger	215
115-900-004-002	Potato cutting knife mounted on 2 augers	430
115-900-128-001	Different RAL colour instead of Peecon red	350
	Optional tyres	
115-900-129-001	Peecon 7.00x12 (14P/6B/0) per 2 (= standard)	On request
115-900-130-002	Peecon 7.00x12 double mounting (14P/6B) per 2 instead of 7.00x12 (std.Biga 10/12m³ Maxi/20m³ Twin L)	910
115-900-136-002	Goodyear 205/65R17.5 double mounting (6B/LHT) per 4 instead of Peecon 7.00x12 (std. 20/24m³ MT L)	1.790
115-900-242	Wheel caps stainless steel 17,5 - 19,5 - 22,5" (per 2 pieces)	150

Prices Biga Stationary

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
100-060-003	**Cut mix tub Biga 6-200 Stationary**	**14.695**
100-075-003	**Cut mix tub Biga 7,5-200 Stationary**	**15.055**
100-100-003	**Cut mix tub Biga 10-200 Stationary**	**15.415**
101-100-003	**Cut mix tub Biga 10-230 Stationary**	**15.775**
101-120-003	**Cut mix tub Biga 12-230 Stationary**	**15.775**
102-150-003	**Cut mix tub Biga 15-245s Stationary**	**22.065**
105-120-003	**Cut mix tub Biga 12-200 Twin Stationary**	**26.620**
105-150-003	**Cut mix tub Biga 15-200 Twin Stationary**	**27.700**
109-180-003	**Cut mix tub Biga 18-215 Twin Stationary**	**28.780**
109-200-003	**Cut mix tub Biga 20-215 Twin Stationary**	**30.955**
106-240-003	**Cut mix tub Biga 24-230s Twin Stationary**	**38.985**
106-260-003	**Cut mix tub Biga 26-230s Twin Stationary**	**40.570**
106-280-003	**Cut mix tub Biga 28-230s Twin Stationary**	**42.015**
107-300-003	**Cut mix tub Biga 30-245s Twin Stationary**	**55.240**
101-120-011	**Cut mix tub Biga 12-230s Bio**	**On request**
102-150-011	**Cut mix tub Biga 15-245s Bio**	**On request**
106-240-011	**Cut mix tub Biga 24-230s Twin Bio**	**On request**
107-300-011	**Cut mix tub Biga 30-245s Twin Bio**	**On request**
107-400-011	**Cut mix tub Biga 40-245s Twin Bio**	**On request**
112-600-011	**Cut mix tub Biga 60-245s Mammoet Bio**	**On request**
112-800-011	**Cut mix tub Biga 80-245s Mammoet Bio**	**On request**
100-900-315-003	Chassis with professional weighing system i-FeedGood L with 4 load cells + supports, suitable for feedmanagement software	4.685
100-900-315-004	Chassis with professional weighing system i-FeedGood L with 6 load cells + supports, suitable for feedmanagement software	5.695
100-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
100-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
100-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
100-900-123-002	Electronic weighing system with 4-20 mA data output	On request
100-900-316	Radiographically display for i-FeedGood	750
100-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
100-900-003-001	Ring to prevent boiling over (1A) (standard with Biga 10-230 Eco)	410
100-900-003-002	Ring to prevent boiling over (2A) (standard with Biga 20-230s Twin)	410
100-900-003-003	Ring to prevent boiling over (3A)	815
100-900-003-004	Ring to prevent boiling over (4A)	815
100-900-240-004	El.hydr. operation of unloading door, only in comb. with own hydr. system, for functions with #	1.265
100-900-062	Reductor for mounting between electromotor and planetary drive, incl. footplate, excl. coupling	3.400
100-900-066	Electromotor (1500 RPM), incl. reductor and coupling, excl. frequency converter for 6-12m³	5.150
100-900-067	Electromotor (1500 RPM), incl. reductor and coupling, excl. frequency converter for 15-24m³	7.025
100-900-068	Electromotor, mounted at planetary drive from 30m³ (per auger)	6.195
100-900-287	Drive line per auger with fluid coupling (30kW) (excl. frequency convertor)	On request
100-900-352	Unique auger(s) for specific rations such as calves and goats	On request
100-900-327	Magnet on auger, per auger	780
100-900-063	Perforated platform with stairs in front of the tub	650
100-900-179-001	Cover hydraulically controlled (2 augers)	11.545
100-900-179-002	Cover hydraulically controlled (3 augers)	13.045
100-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
100-900-009-003	Fixed belt conveyor at the side, unloading height +300 mm, excl. operation	2.630
100-900-010-001	In height adjustable belt conveyor L=1150 mm sideways at 1 side (# incl.electro-hydraulic operation)	3.870
100-900-010-002	In height adjustable belt conveyor L=2300 mm sideways at 1 side (# incl. electro-hydraulic operation	4.690
100-900-019-001	Extra unloading door at desired position (# incl. electro-hydr. operation function) (6E/7,5E/10ME)	2.045
100-900-019-002	Extra unloading door at desired position (# incl. electro-hydraulic operation function)(10E/12-15ME)	2.045

Article Number	Description	Prices in €
100-900-019-003	Extra unloading door at desired position, excl. operation	1.590
100-900-212	Wear out parts in stainless steel instead of Hardox/Quard (for Bio-S)	0
100-900-214	Stainless steel lining at bottom (for Bio-S)	On request
100-900-213	Wear out parts in polyurethane (PU) instead of Hardox/Quard (for Bio-S)	On request
100-900-064-002	Own hydraulic system 1,5 kW, suitable for 1 unloading door	1.770
100-900-064-001	Own hydraulic system with high capacity	On request
100-900-065-001	Electro-hydraulic function (per function)	735
100-900-069-002	Basis unit remote control for 2 double-acting hydraulic functions (# incl. el. hydr. operation)	1.930
100-900-069-001	Extra function on remote control for hydraulic functions (per double-acting function)	340
100-900-070	Extended chassis (for build up of a crane or stationary motor)	1.370
100-900-090	Mineral box	275
100-900-128-001	Different RAL colour instead of Peecon red	350
100-900-128-003	Andere RAL kleur ipv Biga Bio-S groen	350

Prices Biga Topliner Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
191-160-050	**Feed mixer Biga 16-197/230 Topliner Future (standard without rubber extension)**	**29.400**
191-180-050	**Feed mixer Biga 18-197/230 Topliner Future (is 16 m3 with rubber extension)**	**30.000**
191-190-050	**Feed mixer Biga 19-197/230 Topliner Future (standard without rubber extension)**	**30.750**
191-210-050	**Feed mixer Biga 21-197/230 Topliner Future (is 19 m3 with rubber extension)**	**31.400**
191-900-359-002	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.030
191-900-316	Radiographically display for i-FeedGood	750
191-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
191-900-327	Magnet on auger, per auger	780
191-900-340	Air braked axle instead of hydraulic braked axle	1.230
191-900-005	High hitch with DIN towing bracket	215
191-900-122	Operation 2 speed reduction gearbox with Bowden cable from tractor cabin	420
191-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera(only in combination with weighing system i-FeedGood)	950
191-900-022	Unloading doors at the back instead of at the front side	90
191-900-234	Lighting LED	325
192-900-082-003	Different colour: white with black cow spots (3A)	350
192-270-050	**Feed mixer Biga 27-197/230 Topliner Mammoet Future (standard without rubber extension)**	**47.500**
192-300-050	**Feed mixer Biga 30-197/230 Topliner Mammoet Future (is 27 m3 with rubber extension)**	**49.500**
192-330-050	**Feed mixer Biga 33-197/230 Topliner Mammoet Future (is 27 m3 with steel extension)**	**51.000**
192-900-005	High hitch with DIN towing bracket	215
192-900-082-003	Different colour: white with black cow spots (3A)	350
192-900-119	2 Existing unloading doors at the rear instead of at the front	125
192-900-122	Operation 2 speed reduction gearbox with Bowden cable from tractor cabin	420
192-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera (only in combination with weighing system i-FeedGood)	950
192-900-234	Lighting LED	325
192-900-316	Radiographically display for i-FeedGood	750
192-900-327	Magnet on auger, per auger	780
192-900-340	Air braked axle instead of hydraulic braked axle	1.230
192-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
192-900-359-003	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.395
192-900-364	4 Unloading doors (instead of 2 unloading doors), position LF, RF, LB, RB)	2.655
	More options on request	

Prices Biga Twin Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
105-120-047	**Feed mixer Biga 12-200 Twin Future**	**31.800**
105-150-047	**Feed mixer Biga 15-200 Twin Future**	**32.890**
109-180-047	**Feed mixer Biga 18-215 Twin Future**	**33.970**
109-200-047	**Feed mixer Biga 20-215 Twin Future**	**36.140**
106-180-047	**Feed mixer Biga 18-230 Twin Future**	**40.025**
106-240-047	**Feed mixer Biga 24-230s Twin Future**	**45.585**
106-260-047	**Feed mixer Biga 26-230s Twin Future**	**46.770**
107-210-047	**Feed mixer Biga 21-245s Twin Future**	**49.400**
107-250-047	**Feed mixer Biga 25-245s Twin Future**	**50.585**
107-300-047	**Feed mixer Biga 30-245s Twin Future**	**61.440**
105-900-013-001	Lower price 12-17TE/20MTE: 1 instead of 2 unload. doors left + 2 man. counter knives, no valve block	-1.150
105-900-013-002	Lower price 20TE/24-30MTE: 1 instead of 2 unload. doors left + 2 man. counter knives, no valve block	-1.150
105-900-013-003	Lower price: unloading doors operated by tractor valve + 2 mechanically adjustable counter knives	-570
105-900-013-004	Lower price 12-17TE/20MTE: 1 instead of 2 unload.doors right + 2 man. counter knives, no valve block	-1.150
105-900-013-005	Lower price 20TE/24-30MTE: 1 instead of 2 unload.doors right + 2 man. counter knives, no valve block	-1.150
105-900-013-007	Lower price: 1 unloading door left instead of 2 unloading doors	-475
105-900-013-008	Lower price: 1 unloading door right instead of 2 unloading doors	-475
105-900-359-002	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.030
105-900-359-003	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.395
105-900-316	Radiographically display for i-FeedGood	750
105-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
105-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
105-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
105-900-240-001	Electrohydraulic operation of 2 unloading doors, necessary for functions with #	1.265
105-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
105-900-339-002	Rubber tub increase (2A)	1.230
105-900-121-002	2 Alligator Double Life augers instead of Double Action augers	965
105-900-352	Unique auger(s) for specific rations such as calves and goats	On request
105-900-327	Magnet on auger, per auger	780
105-900-149-001	Wide angle PTO shaft Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
105-900-149-002	Wide angle PTO shaft Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
105-900-149-003	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
105-900-149-004	Wide angle PTO shaft heavy-duty Walterscheid 1 3/4"-20 instead of standard PTO-shaft	420
105-900-149-005	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
105-900-149-006	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-8 instead of standard PTO-shaft	420
105-900-149-007	Wide angle PTO shaft Walterscheid 1 3/8"-8 instead of standard PTO-shaft	On request
105-900-043	Hand braked axle	815
105-900-044-002	Hydraulically braked axle with hand brake	1.765
105-900-093	Air braked axle	2.500
105-900-005	High hitch with DIN towing bracket	215
105-900-091	Low hitch with pick-up hitch towing bracket and skid food	215
105-900-092	Ball towing eye Scharmüller/Sauerman 80 mm	910
105-900-057	Mounting of battery for weighing in disconnected position	475
105-900-006-001	2 Speed reduction gearbox (540 RPM) (957-003-001)	1.875
105-900-006-012	2 Speed reduction gear box Brevini (1000 RPM) (957-001-058)	2.360
105-900-006-013	2 Speed reduction gear box Comer (1000 RPM) (957-003-024)	2.360
105-900-006-014	2 Speed reduction gear box Bima (1000 RPM) (957-007-002)	2.360
105-900-122	Operation 2 speed reduction gear box with Bowden cable from tractor cabine	420
105-900-260	Operation 2 speed reduction gear box with electro-hydraulic operation (# incl. el. hydr. operation)	660
105-900-054	Single acting hydraulic support with manual pump	410
105-900-017	Hydraulic support for loading in uncoupled position (# incl. electro-hydraulic operation)	815

Article Number	Description	Prices in €
105-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
105-900-321	Bird View (camera system with view on all sides)	1.700
105-900-147-001	Wear out parts in Hardox/Quard (2A)	2.680
105-900-010-001	In height adjustable belt conveyor L=1150 mm sideways at 1 side (# incl.electro-hydraulic operation)	3.870
105-900-089-001	Speed regulator for belt conveyer	340
105-900-022	Unloading doors at the back instead of at the front side	90
105-900-053	2 Existing unloading doors placed slantingly at the back of the tub instead of at the front	815
105-900-019-001	Extra unloading door at desired position (# incl. electro-hydr. operation function) (low model)	2.045
105-900-019-002	Extra unloading door at desired position (# incl. electro-hydraulic operation function) (high model)	2.045
105-900-019-003	Extra unloading door at desired position, excl. operation	1.590
105-900-283	Movable output chutes (per unloading door) connected with unloading door	385
105-900-178	Output chute with magnets (per unloading door)	540
105-900-238	Hydraulically instead of mech. adjustable counter knives (# incl. el.hydr. operation), per knife	385
105-900-063	Perforated platform with stairs in front of the tub	650
105-900-020-002	Lowering tub height	410
105-900-234	Lighting LED	325
105-900-358	2 Red-white signalling boards (for machines wider than 2.55 m)	275
105-900-070	Extended chassis (for build up of a crane or stationary motor)	1.370
105-900-090	Mineral box	275
105-900-004-002	Potato cutting knife mounted on 2 augers	430
105-900-128-001	Different RAL colour instead of Peecon red	350
	Optional tyres	
105-900-136-003	Goodyear 205/65R17.5 double mounting (6B/LHT) (standard with Biga 12-17m³ Twin Eco/16 TE Wide Body)	On request
105-900-135-005	Goodyear 215/75R17.5 double mounting (6B/LHT) per 2 instead of Goodyear 205/65R17.5 DM	110
105-900-138-007	Single axle Goodyear 245/75R19.5 double mounting instead of single axle 215/75R17.5 DM per 2 sets	805
105-900-135-004	Tandem axle Goodyear 215/75R17.5 double mounting instead of single axle 215/75R17.5 DM per 4 sets	2.420
105-900-138-006	Single axle with tyres Goodyear 245/70R19.5 DM per 4 sets instead of tandem axle 215/75R17.5 DM	0
105-900-137-002	Goodyear 355/50R22.5 integraded in tub instead of 215/75R17.5 double mounting	650
105-900-138-004	Goodyear 245/70R19.5 double mounting (291T/8B) instead of Barum 8.15x15(std.Biga 30m³ Maxi Twin E)	1.790
105-900-141-004	Goodyear 275/70R22.5 double mounting (159T/10B) per 4 instead of Goodyear 215/75R17.5 DM	2.965
105-900-139-007	Goodyear 435/50R19.5 (-P/10B/0) FIRA per 2 instead of Goodyear 215/75R17.5 double mounting(159T/10B)	505
105-900-242	Wheel caps stainless steel 17,5 - 19,5 - 22,5" (per 2 pieces)	150

Prices Biga Twin Pacman Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
124-180-058	**Feed mixer Biga 18-215 Twin Pacman Future**	**59.100**
124-900-013-007	Lower price: 1 unloading door left instead of 2 unloading doors	-475
124-900-013-008	Lower price: 1 unloading door right instead of 2 unloading doors	-475
124-900-359-002	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.030
124-900-316	Radiographically display for i-FeedGood	750
124-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
124-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
124-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
124-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
124-900-339-002	Rubber tub increase (2A)	1.230
125-900-149-001	Wide angle PTO shaft Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
125-900-149-002	Wide angle PTO shaft Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
124-900-004-002	Potato cutting knife mounted on 2 augers	430
124-900-121-002	2 Alligator Double Life augers instead of Double Action augers	965
124-900-340	Air braked axle instead of a hydraulic braked axle	1.230
124-900-005	High hitch with DIN towing bracket	215
124-900-091	Low hitch with pick-up hitch towing bracket and skid food	215
124-900-092	Ball towing eye Scharmüller/Sauerman 80 mm	910
124-900-057	Mounting of battery for weighing in disconnected position	475
124-900-054	Single acting hydraulic support with manual pump	410
124-900-017	Hydraulic support for loading in uncoupled position incl. electro-hydraulic operation	815
124-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
124-900-178	Output chute with magnets (per unloading door)	540
124-900-283	Movable output chutes (per unloading door) incl. electro-hydraulic operation	385
124-900-238	Hydraulically instead of mechanically adjustable counter knives incl. el.hydr.operation, per knife	385
124-900-234	Lighting LED	325
124-900-252	Rear-view camera	545
124-900-090	Mineral box	275
124-900-128-001	Different RAL colour instead of Peecon red	350

Prices Biga Twin Plus Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
134-120-047	**Feed mixer Biga 12-200 Twin Plus Future**	**34.435**
134-150-047	**Feed mixer Biga 15-200 Twin Plus Future**	**35.515**
134-160-050	**Feed mixer Biga 16-200/230 Twin Plus Wide Body Future**	**36.960**
133-180-047	**Feed mixer Biga 18-215 Twin Plus Future**	**36.600**
133-190-056	**Feed mixer Biga 19-215/230 Twin Plus Wide Body Future**	**38.045**
133-200-056	**Feed mixer Biga 20-215/230 Twin Plus Wide Body Future**	**38.770**
133-220-050	**Feed mixer Biga 22-215/245 Twin Plus Wide Body Future**	**40.215**
138-240-047	**Feed mixer Biga 24-230s Twin Plus Future**	**48.215**
138-260-047	**Feed mixer Biga 26-230s Twin Plus Future**	**49.395**
139-250-047	**Feed mixer Biga 25-245s Twin Plus Future**	**52.925**
139-300-047	**Feed mixer Biga 30-245s Twin Plus Future**	**62.925**
134-900-359-002	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.030
134-900-359-003	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.395
134-900-316	Radiographically display for i-FeedGood	750
134-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
134-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
134-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
134-900-240-002	Electrohydraulic operation of the belt conveyor, necessary for functions with #	1.265
134-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
134-900-339-002	Rubber tub increase (2A)	1.230
134-900-121-002	2 Alligator Double Life augers instead of Double Action augers	965
134-900-352	Unique auger(s) for specific rations such as calves and goats	On request
134-900-327	Magnet on auger, per auger	780
134-900-149-001	Wide angle PTO shaft Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
134-900-149-002	Wide angle PTO shaft Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
134-900-149-003	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
134-900-149-004	Wide angle PTO shaft heavy-duty Walterscheid 1 3/4"-20 instead of standard PTO-shaft	420
134-900-149-005	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
134-900-041	Hand braked axle	815
134-900-044-002	Hydraulically braked axle with hand brake	1.765
134-900-005	High hitch with DIN towing bracket	215
134-900-091	Low hitch with pick-up hitch towing bracket and skid food	215
134-900-092	Ball towing eye Scharmller/Sauerman 80 mm	910
134-900-057	Mounting of battery for weighing in disconnected position	475
134-900-006-001	2 Speed reduction gearbox (540 RPM) (957-003-001)	1.875
134-900-006-012	2 Speed reduction gear box Brevini (1000 RPM) (957-001-058)	2.360
134-900-122	Operation 2 speed reduction gear box with Bowden cable from tractor cabine	420
134-900-260	Operation 2 speed reduction gear box with electro-hydraulic operation (# incl. el. hydr. operation)	660
134-900-054	Single acting hydraulic support with manual pump	410
134-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
134-900-321	Bird View (camera system with view on all sides)	1.700
134-900-018-016	Belt conveyor 300 mm hydraulically movable to the left and right (# incl. el.hydr. operation)	1.225
134-900-018-008	Belt conveyor at the back instead of at the front of the machine	110
134-900-011-001	2nd lateral belt conveyor in height adjustable L=1150 mm at the right side (#incl.el-hydr.operation)	3.290
134-900-011-002	2nd lateral belt conveyor in height adjustable L=1150 mm at the left side (# incl.el-hydr.operation)	3.290
134-900-180	Belt conveyor with chain instead of rubber	1.015
134-900-182	Foldable belt conveyor with chain instead of rubber	805
134-900-238	Hydraulically instead of mechanically adjustable counter knives incl. el.hydr.operation, per knife	385
134-900-020-002	Lowering tub height	410
134-900-089-001	Speed regulator for belt conveyer	340

Article Number	Description	Prices in €
134-900-234	Lighting LED	325
134-900-090	Mineral box	275
134-900-004-002	Potato cutting knife mounted on 2 augers	430
134-900-128-001	Different RAL colour instead of Peecon red	350
	Optional tyres	
134-900-136-003	Goodyear 205/65R17.5 double mounting (6B/LHT)	On request
134-900-135-005	Goodyear 215/75R17.5 double mounting (6B/LHT) per 2 instead of Goodyear 205/65R17.5 DM	110
134-900-138-007	Single axle Goodyear 245/75R19.5 double mounting instead of single axle 215/75R17.5 DM per 2 sets	805
134-900-135-004	Tandem axle Goodyear 215/75R17.5 double mounting instead of single axle 215/75R17.5 DM per 4 sets	2.420
134-900-138-006	Single axle with tyres Goodyear 245/70R19.5 DM per 4 sets instead of tandem axle 215/75R17.5 DM	0
134-900-137-002	Goodyear 355/50R22.5 integraded in tub instead of 215/75R17.5 double mounting	650
134-900-138-004	Goodyear 245/70R19.5 double mounting (291T/8B) instead of Barum 8.15x15(std.Biga 30m³ Maxi Twin E)	1.790
134-900-141-004	Goodyear 275/70R22.5 double mounting (159T/10B) per 4 instead of Goodyear 215/75R17.5 DM	2.965
134-900-139-007	Goodyear 435/50R19.5 (-P/10B/0) FIRA per 2 instead of Goodyear 215/75R17.5 double mounting(159T/10B)	505
134-900-242	Wheel caps stainless steel 17,5 - 19,5 - 22,5" (per 2 pieces)	150

Prices Biga Twin Wide Body Future

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
105-130-050	**Feed mixer Biga 13-200/230 Twin Wide Body Future**	**33.250**
105-160-050	**Feed mixer Biga 16-200/230 Twin Wide Body Future**	**34.335**
109-190-056	**Feed mixer Biga 19-215/230 Twin Wide Body Future**	**35.415**
109-200-056	**Feed mixer Biga 20-215/230 Twin Wide Body Future**	**36.140**
109-220-050	**Feed mixer Biga 22-215/245 Twin Wide Body Future**	**37.590**
106-260-050	**Feed mixer Biga 26-230/260s Twin Wide Body Future**	**46.620**
106-280-050	**Feed mixer Biga 28-230/260s Twin Wide Body Future**	**48.215**
107-230-050	**Feed mixer Biga 23-245/275s Twin Wide Body Future**	**47.140**
107-270-050	**Feed mixer Biga 27-245/275s Twin Wide Body Future**	**47.660**
107-320-050	**Feed mixer Biga 32-245/275s Twin Wide Body Future**	**62.890**
105-900-013-001	Lower price 12-17TE/20MTE: 1 instead of 2 unload. doors left + 2 man. counter knives, no valve block	-1.150
105-900-013-002	Lower price 20TE/24-30MTE: 1 instead of 2 unload. doors left + 2 man. counter knives, no valve block	-1.150
105-900-013-003	Lower price: unloading doors operated by tractor valve + 2 mechanically adjustable counter knives	-570
105-900-013-004	Lower price 12-17TE/20MTE: 1 instead of 2 unload.doors right + 2 man. counter knives, no valve block	-1.150
105-900-013-005	Lower price 20TE/24-30MTE: 1 instead of 2 unload.doors right + 2 man. counter knives, no valve block	-1.150
105-900-013-007	Lower price: 1 unloading door left instead of 2 unloading doors	-475
105-900-013-008	Lower price: 1 unloading door right instead of 2 unloading doors	-475
105-900-359-002	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.030
105-900-359-003	Version in accordance with regulation EU 167/2013 Cat. R-a incl. individual RDW examination, incl. air brake, towing bracket and lighting	3.395
105-900-316	Radiographically display for i-FeedGood	750
105-900-348	Peecon Professional Network feedmanagement software via datastick	1.400
105-900-349	Peecon Professional Network feedmanagement software with wireless connection to pc (1000 m)	2.740
105-900-350	Peecon Business Network feedmanagement software with wireless connection to pc (1000 m)	3.440
105-900-240-001	Electrohydraulic operation of 2 unloading doors, necessary for functions with #	1.265
105-900-351	Load sensing (only in combination with electro-hydraulic control)	On request
105-900-339-002	Rubber tub increase (2A)	1.230
105-900-121-002	2 Alligator Double Life augers instead of Double Action augers	965
105-900-352	Unique auger(s) for specific rations such as calves and goats	On request
105-900-327	Magnet on auger, per auger	780
105-900-149-001	Wide angle PTO shaft Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
105-900-149-002	Wide angle PTO shaft Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
105-900-149-003	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-6 instead of standard PTO-shaft	420
105-900-149-004	Wide angle PTO shaft heavy-duty Walterscheid 1 3/4"-20 instead of standard PTO-shaft	420
105-900-149-005	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-21 instead of standard PTO-shaft	420
105-900-149-006	Wide angle PTO shaft heavy-duty Walterscheid 1 3/8"-8 instead of standard PTO-shaft	420
105-900-149-007	Wide angle PTO shaft Walterscheid 1 3/8"-8 instead of standard PTO-shaft	On request
105-900-043	Hand braked axle	815
105-900-044-002	Hydraulically braked axle with hand brake	1.765
105-900-093	Air braked axle	2.500
105-900-005	High hitch with DIN towing bracket	215
105-900-091	Low hitch with pick-up hitch towing bracket and skid food	215
105-900-092	Ball towing eye Scharmüller/Sauerman 80 mm	910
105-900-057	Mounting of battery for weighing in disconnected position	475
105-900-006-001	2 Speed reduction gearbox (540 RPM) (957-003-001)	1.875
105-900-006-012	2 Speed reduction gear box Brevini (1000 RPM) (957-001-058)	2.360
105-900-006-013	2 Speed reduction gear box Comer (1000 RPM) (957-003-024)	2.360
105-900-006-014	2 Speed reduction gear box Bima (1000 RPM) (957-007-002)	2.360
105-900-122	Operation 2 speed reduction gear box with Bowden cable from tractor cabine	420
105-900-260	Operation 2 speed reduction gear box with electro-hydraulic operation (# incl. el. hydr. operation)	660
105-900-054	Single acting hydraulic support with manual pump	410
105-900-017	Hydraulic support for loading in uncoupled position (# incl. electro-hydraulic operation)	815

Article Number	Description	Prices in €
105-900-125-012	Action package 3: radiographically display, rear-view system with 1 camera and body warmer (only in combination with weighing system i-FeedGood)	950
105-900-321	Bird View (camera system with view on all sides)	1.700
105-900-147-001	Wear out parts in Hardox/Quard (2A)	2.680
105-900-010-001	In height adjustable belt conveyor L=1150 mm sideways at 1 side (# incl.electro-hydraulic operation)	3.870
105-900-089-001	Speed regulator for belt conveyer	340
105-900-053	2 Existing unloading doors placed slantingly at the back of the tub instead of at the front	815
105-900-019-001	Extra unloading door at desired position (# incl. electro-hydr. operation function) (low model)	2.045
105-900-022	Unloading doors at the back instead of at the front side	90
105-900-283	Movable output chutes (per unloading door) connected with unloading door	385
105-900-178	Output chute with magnets (per unloading door)	540
105-900-238	Hydraulically instead of mech. adjustable counter knives (# incl. el.hydr. operation), per knife	385
105-900-063	Perforated platform with stairs in front of the tub	650
105-900-020-002	Lowering tub height	410
105-900-234	Lighting LED	325
105-900-358	2 Red-white signalling boards (for machines wider than 2.55 m)	275
105-900-070	Extended chassis (for build up of a crane or stationary motor)	1.370
105-900-090	Mineral box	275
105-900-004-002	Potato cutting knife mounted on 2 augers	430
105-900-128-001	Different RAL colour instead of Peecon red	350
	Optional tyres	
105-900-136-003	Goodyear 205/65R17.5 double mounting (6B/LHT) (standard with Biga 12-17m³ Twin Eco/16 TE Wide Body)	On request
105-900-135-005	Goodyear 215/75R17.5 double mounting (6B/LHT) per 2 instead of Goodyear 205/65R17.5 DM	110
105-900-138-007	Single axle Goodyear 245/75R19.5 double mounting instead of single axle 215/75R17.5 DM per 2 sets	805
105-900-135-004	Tandem axle Goodyear 215/75R17.5 double mounting instead of single axle 215/75R17.5 DM per 4 sets	2.420
105-900-138-006	Single axle with tyres Goodyear 245/70R19.5 DM per 4 sets instead of tandem axle 215/75R17.5 DM	0
105-900-137-002	Goodyear 355/50R22.5 integraded in tub instead of 215/75R17.5 double mounting	650
105-900-138-004	Goodyear 245/70R19.5 double mounting (291T/8B) instead of Barum 8.15x15(std.Biga 30m³ Maxi Twin E)	1.790
105-900-141-004	Goodyear 275/70R22.5 double mounting (159T/10B) per 4 instead of Goodyear 215/75R17.5 DM	2.965
105-900-139-007	Goodyear 435/50R19.5 (-P/10B/0) FIRA per 2 instead of Goodyear 215/75R17.5 double mounting(159T/10B)	505
105-900-242	Wheel caps stainless steel 17,5 - 19,5 - 22,5" (per 2 pieces)	150

Prices Butler XL

This price list replaces all previous price lists. Price changes reserved.

Article Number	Description	Prices in €
654-001	**Butler XL (incl. webconnect)**	**18.725**
654-907-011	Magnet (1 piece)	1
654-907-012	Feed type n° 1	2.675
654-907-013	Feed type n° 2	2.675
654-907-014	Assembly costs (per hour)	65
654-907-015	Filling Butler XL (=engine, steering, exit, level switch, engine console)	940
654-907-016	Filling funnel	110
654-907-017	Extension power feed KF1 - externally steered relais and funnel	195
654-907-018	Augerspiral 53,3 mm	14
654-907-019	Augertube 75x4 mm	7
654-907-020	45° Bend for filling (Ø= 75 white)	46
654-907-021	Assembly bracket horizontal ST	12
654-907-022	Connection piece filling tube for Ø = 75	12
654-907-023	Tubeclamp Ø = 75	6
654-907-024	Augertrough horizontal with bearings and valve	185
654-907-025	Intakefunnel Ø = 350, endpiece with strap	135
654-907-026	Trevirasilo VFS	On request
654-907-027	Staggered loops	On request
654-907-028	Exit diameter	On request
654-907-029	Silo + support + fillingtube	On request
654-907-030	Filter ladestation	On request