

**Compact Loader X-Series** 

FITER

PITELI

PITELILI

X24-50

0

0

OTELL

# THE MOST POWERFUL COMPACT AND SAFEST OF ITS KIND!

### **EVERYTHING ABOUT PITBULL**

Discover all the benefits of our **Pitbull Compact Loader** in this brochure. The machine is extremely versatile and serves agricultural, industrial, landscaping and hobby purposes.



### ELECTRIC PITBULL

Discover our emission-free powerhouse.

## AMAZINGLY CONSTRUCTED

A team of engineers from **Peeters Group** has been engaged in the development of this unique **Pitbull** compact loader. We succeeded in developing a machine that stands out from the rest by using the most recent techniques and components. **More powerful, more compact and safer!** 

> This was realised partly by the **Dana Spicer** axle configuration with rear rocking axle. Which can be powered hydrostatically as well as electrically. The rear rocking axles are already known in the heavier weight classes and are now uniquely used in our compact loader. The track width is 1010 mm, also available in track width 790 mm. The compact construction also ensures that the machine can be transported on a short trailer.

PITELLL



SPICER® Drivetrain Systems

## **STABILITY MEETS POWER**

Our machine is designed with a low centre of gravity and rear rocking axle. This ensures optimum driving comfort, even on the most uneven terrain. If equipped with the necessary road approval options, all models are allowed on public roads.

With the joystick inching function it is possible to work with a high oil flow and still maintaining low driving speed. Ideal for working with all types of add-on parts, such as an arm mower or any implement mounted on the 3-point linkage at the back.



The Pitbull Compact Loader is unique in its kind. The machine is completely produced in the Netherlands in our hypermodern factory in Etten-Leur. We only use the best A-brand components to guarantee quality. This ensures low operating costs, a long lifespan and a high retention of value.

#### **ROPS / FOPS SAFETY ROOF**

Safety bar with safety roof, expandable with polycarbonate front and rear window. Cabin version on request.

#### JOYSTICK INCHING

With the inching function it is possible to work with a high oil flow and still maintain a low driving speed. These settings can be operated via a 7" full colour touch display. It also displays diagnostics from the unique Pitbull Power Pack controller. This offers the possibility as well to implement a weighing system or camera view.

#### P-Z BOOM

Unique boom construction that, by using P and Z kinematics, has both a high breakout force and an optimal parallel lift. This also provides an exceptional reach. Optional, a telescopic see-through boom is available.

#### **FALL OUT PROTECTION**

Patented fall out protection by means of a sliding construction which always remains within the machine. No more problems with swinging brackets or doors.

#### HYDRAULIC **QUICK-CHANGE**

Add-on parts available in 6 different variants. Endless range of accessories and add-ons available.

### **TYRE SELECTION**

A wide range of robust A-brand TRELLEBORG tires is available.

#### **DANA SPICER AXLES**

You can choose from 45% diff. lock and 100% diff. lock with internal brake, which can be activated electrically. With a static capacity of 12,000 kg per axle.

#### **ERGONOMIC LOW ENTRY**

For optimal ease of use.

#### **FIXED PIVOT AND ROCKING AXLE**

The fixed pivot in combination with the rear rocking axle guarantees optimum stability. The driver will not experience any adverse effects such as with a rocking pivot.

#### SPICER DANA Drivetrain Systems

X27-45CRT

DANA SPICER ROCKING AXLE Hydrostatic or electrically driven rear rocking axle. Unique in this weight class! Equipped with a planetary reduction.

#### **PAINTING AND COATING**

The main frame is completely blasted before multi-layer painting is applied. Most connecting materials have been treated with a zinc fin coating. These procedures result in an exceptionally durable corrosion protection. The engine compartment covers are made of stainless steel. The caps are available in any desired colour.

### 븢 WüRTH



#### LINDE DRIVING HYDRAULICS

High-pressure closed-circuit system. Replaceable pre-filter, so contamination is excluded. Long lifespan and high reliability.

#### **HIGH-CAPACITY WORK HYDRAULICS**

51 litres / minute, 220 Bar, standard 3rd function, can be expanded modularly.


PITELLL®



## WIDE RANGE OF ENGINES AVAILABLE

### POWERFUL STAGE 5 KUBOTA ENGINE

The 4-cylinder compact **Kubota** engine is extremely reliable. A big advantage is that the motor can deliver a high torque at a low speed. This causes less vibration and is more powerful in all conditions. The motor is also maintenancefriendly and available in various power and environmental classes. With these Stage 5 engines you meet all current emission standards.





### **KUBOTA CRT**

With this newest generation **Common Rail Turbo** (CRT) engines in combination with our **Pitbull Power Pack** controller maximum efficiency can be achieved. The **Power Pack** controller communicates with the engine and oil pump system and ensures that optimum power is requested and delivered when needed. Accelerating the shovel will cause the RPM to be boosted to maximum, after which it will stabilise and the RPM will drop. This well-balanced RPM control ensures particularly low fuel consumption. As you may expect, this version is also equipped with the unique inching which enables to work with a high oil flow and still maintain a low driving speed.

## ELECTRIC

Oversized maintenance-free electric engines specially developed for **Pitbull**. Provide high starting torque to high driving speed. From 0 to 25 km / h completely stepless. The driving engine is paired with the trusted **Dana Spicer** axle configuration with maximum efficiency. The other electric engine is directly coupled to a silent oil pump for the working hydraulics. These pumps are known for their long life and exceptionally low noise level. Both electric engines are independently controlled from the **Power Pack** controller. Here you can choose an eco or performance operating mode on the 7 "full colour touch display. The electric engines are powered by robust 96V **LiFePo4** batteries with an exceptionally long operating radius. Standard equipped with a 220V charger, but can be expanded to a 380V fast charger.



## **DISCOVER OUR WEBSITE**

### peetersgroup.com

- ► Discover online the **Peecon**, **Tulip** and **Pitbull** product range
- Always the most interesting prices and offers in real time
- ► Configure your own ideal machine
- ▶ Find your nearest point of sale
- Online library with all brochures, manuals and parts books
- ► Web shop



### CONFIGURE YOUR OWN UNIQUE PITBULL

Discover the wide choice of weight classes, engines and accessories.

You will find our unique **Pitbull** configurator on our renewed website. In this online environment you can easily assemble your own ideal **Pitbull** within minutes. When choosing an option, choice and change, the configurator indicates what your **Pitbull** will look like. You will see actual prices and ongoing promotions, for example trade-in options for your current compact loader. You can request a quote right away at the touch of a button and we will put you in touch with your nearest dealer or a member of our sales team.

### TYRES OF CHOICE





### **SCAN THE QR**







### SERVICES IS FIRST WITH US

Our international dealer network is always ready for you with fast and reliable service.

